
Homework 1 – Due Tuesday, September 14, 2021 at 11:59 PM

Reminder Collaboration is permitted, but you must write the solutions *by yourself without assistance*, and be ready to explain them orally to the course staff if asked. You must also identify your collaborators and write “Collaborators: none” if you worked by yourself. Getting solutions from outside sources such as the Web or students not enrolled in the class is strictly forbidden.

Problems There are 6 required problems and one bonus problem. Problems 1-4 and 6 are to be turned in via Gradescope. Problem 5 will be autograded using AutomataTutor.

1. For each of the following languages, (i) give a plain English description of the language, and (ii) give two examples of strings in the language and two examples of strings that are in Σ^* but are outside the language.

(a) $L_1 = \{0x1 \mid x \in \{0, 1\}^*\}$

(b) $L_2 = \{w \in \{a, b\}^* \mid |w| \geq 4\} \cap \overline{\{xabbay \mid x, y \in \{a, b\}^*\}}$

2. For each of the following languages, (i) describe the language using set-builder notation and union/intersection/complement/reverse/concatenation operations (the notation used in Problem 1), and (ii) give two examples of strings in the language and two examples of strings that are in Σ^* but are outside the language.

(a) $L_3 =$ the set of all strings over alphabet $\{a, b, c\}$ that are palindromes (read the same forwards and backwards) or start with a . (For example, $bacab$ and $cabbac$ are palindromes.)

(b) $L_4 =$ the set of all strings over alphabet $\{1, 2, \dots, 9\}$ whose length is divisible by a , where a is the first symbol of the string.

3. Which of the following statements are true or false, for all alphabets Σ ? For each, provide either a proof or a counterexample.


(a) For all strings $x, y, z \in \Sigma^*$, we have $|x^R \circ \varepsilon \circ zy| = |x| + |y| + |z|$. (Recall that \circ denotes concatenation.)

(b) For all languages $L_1, L_2 \subseteq \Sigma^*$, we have $(L_1 \cap L_2)^R = L_1^R \cap L_2^R$.

(c) For all languages $L \subseteq \Sigma^*$, we have $L \circ L = \{ww \mid w \in L\}$.

(d) For all languages $L_1, L_2, L_3 \subseteq \Sigma^*$, we have $L_1 \circ (L_2 \cup L_3) = (L_1 \circ L_2) \cup (L_1 \circ L_3)$.

4. Consider the following state diagram of a DFA M using alphabet $\Sigma = \{A, B\}$.



- (a) What is the start state of M ?
 - (b) What is the set of accept states of M ?
 - (c) Give a formal description of the machine M (i.e., as a 5-tuple).
 - (d) What sequence of states does the machine go through on input $ABBAB$?
 - (e) Does the machine accept the string $ABBAA$?
 - (f) Give a simple description of language recognized by M . (Either plain English or set-builder notation is fine.)
5. This problem will be autograded using AutomataTutor. Visit <http://automatatutor.com/> and click on "Sign Up." Make an account using your name and @bu.edu email address (it is important for recording grades that the information for your account match the information on the course list provided by the university). We'll provide more specific information about how to register for this course on Piazza.
- Give state diagrams of DFAs with as few states as you can recognizing the following languages. You may assume that the alphabet in each case is $\Sigma = \{0, 1\}$.
- (a) $L_1 = \{w \mid w \text{ contains the substring } 100\}$.
 - (b) $L_2 = \{w \mid w \text{ is any string except for } 1001\}$.
 - (c) $L_3 = \{w \mid \text{every even position of } w \text{ is } 0\}$.
- Give state diagrams of NFAs with as few states as you can recognizing the following languages. You may assume that the alphabet in each case is $\Sigma = \{0, 1\}$.
- (d) $L_4 = \{w \mid w \text{ ends with an odd number of } 0\text{'s}\}$.
 - (e) $L_5 = \{w \mid \text{the length of } w \text{ is divisible by either } 2 \text{ or } 3\}$.
6. Draw (and include in the PDF you submit to Gradescope) state diagrams of DFAs with as few states as you can recognizing the following languages. You may assume that the alphabet in each case is $\Sigma = \{0, 1\}$.

- (a) $L_6 = \{w \mid w \text{ is a string of the form } x_1y_1x_2y_2 \dots x_ny_n \text{ for some natural number } n \text{ such that if } x \text{ is the integer with binary representation } x_1x_2 \dots x_n \text{ and if } y \text{ is the integer with binary representation } y_1y_2 \dots y_n, \text{ then } x < y\}$. Both x and y are presented starting with the most significant bit and may have leading 0s.
- (b) $L_7 = \{w \mid w \text{ represents a binary number that is divisible by 4}\}$. The number is presented starting from the most significant bit and can have leading 0s.

Bonus Problem

- (a) Show that for any natural number n , the language $PAD_n = \{w \in \{0,1\}^* \mid w \text{ ends with } n \text{ copies of } 0\}$ is regular.
- (b) Give a state diagram of a DFA recognizing the language $ADD = \{w \mid w \text{ is a string of the form } x_1y_1z_1x_2y_2z_2 \dots x_ny_nz_n \text{ for some } n \geq 0 \text{ such that } x + y = z \text{ as binary numbers}\}$. Here, x, y, z are presented starting from the *least* significant bit and can have trailing 0's. The empty string represents the number 0.