

# Transitive-Closure Spanners\*

Arnab Bhattacharyya<sup>†</sup>

Elena Grigorescu<sup>†</sup>

Kyomin Jung<sup>†</sup>

Sofya Raskhodnikova<sup>‡</sup>

David P. Woodruff<sup>§</sup>

## Abstract

We define the notion of a transitive-closure spanner of a directed graph. Given a directed graph  $G = (V, E)$  and an integer  $k \geq 1$ , a  $k$ -transitive-closure-spanner ( $k$ -TC-spanner) of  $G$  is a directed graph  $H = (V, E_H)$  that has (1) the same transitive-closure as  $G$  and (2) diameter at most  $k$ . These spanners were studied implicitly in access control, property testing, and data structures, and properties of these spanners have been rediscovered over the span of 20 years. We bring these areas under the unifying framework of TC-spanners. We abstract the common task implicitly tackled in these diverse applications as the problem of constructing sparse TC-spanners.

We study the approximability of the size of the sparsest  $k$ -TC-spanner for a given digraph. Our technical contributions fall into three categories: algorithms for general digraphs, inapproximability results, and structural bounds for a specific graph family which imply an efficient algorithm with a good approximation ratio for that family.

**Algorithms.** We present two efficient deterministic algorithms that find  $k$ -TC-spanners of near optimal size. The first algorithm gives an  $\tilde{O}(n^{1-1/k})$ -approximation for  $k > 2$ . Our method, based on a combination of convex programming and sampling, yields the first sublinear approximation ratios for (1) DIRECTED  $k$ -SPANNER, a well-studied generalization of  $k$ -TC-SPANNER, and (2) its variants CLIENT/SERVER DIRECTED  $k$ -SPANNER, and the  $k$ -DIAMETER SPANNING SUBGRAPH. This resolves the main open question of Elkin and Peleg (IPCO, 2001). The second algorithm, specific to the  $k$ -TC-spanner problem, gives an  $\tilde{O}(n/k^2)$ -approximation. It shows that for  $k = \Omega(\sqrt{n})$ , our problem has a provably better approximation ratio than DIRECTED  $k$ -SPANNER and its variants. This algorithm also resolves an open question of Hesse (SODA, 2003).

\*All omitted proofs and details appear in the full version [10].

<sup>†</sup>Massachusetts Institute of Technology, USA. Email: {abhattach, elena\_g, kmjung}@mit.edu. A.B. was supported by National Science Foundation (NSF grants 0514771, 0732334, and 0728645) and DOE Computational Science Graduate Fellowship. E.G. was funded in part by NSF grants CCR-0726525 and CCR-0829672.

<sup>‡</sup>Pennsylvania State University, USA. Email: sofya@cse.psu.edu. Supported by National Science Foundation (NSF grant CCF-0729171).

<sup>§</sup>IBM Almaden Research Center, USA. Email: dpwoodru@us.ibm.com.

**Inapproximability.** Our main technical contribution is a pair of strong inapproximability results. We resolve the approximability of 2-TC-spanners, showing that it is  $\Theta(\log n)$  unless  $P = NP$ . For constant  $k \geq 3$ , we prove that the size of the sparsest  $k$ -TC-spanner is hard to approximate within  $2^{\log^{1-\epsilon} n}$ , for any  $\epsilon > 0$ , unless  $NP \subseteq DTIME(n^{\text{polylog } n})$ . Our hardness result helps explain the difficulty in designing general efficient solutions for the applications above, and it cannot be improved without resolving a long-standing open question in complexity theory. It uses an involved application of generalized butterfly and broom graphs, as well as noise-resilient transformations of hard problems, which may be of independent interest.

**Structural bounds.** Finally, we study the size of the sparsest TC-spanner for  $H$ -minor-free digraphs, which include planar, bounded genus, and bounded tree-width graphs, explicitly investigated in applications above. We show that every  $H$ -minor-free digraph has an efficiently constructible  $k$ -TC-spanner of size  $\tilde{O}(n)$ . This implies an  $\tilde{O}(1)$ -approximation algorithm for this family. Furthermore, using our insight that 2-TC-spanners yield property testers, we obtain a monotonicity tester with  $O(\log^2 n/\epsilon)$  queries for any poset whose transitive reduction is an  $H$ -minor free digraph. This improves and generalizes the previous  $\Theta(\sqrt{n} \log n/\epsilon)$ -query tester of Fischer *et al* (STOC, 2002).

## 1 Introduction

A *spanner* can be thought of as a sparse backbone of a graph that approximately preserves distances between every pair of vertices. More precisely, a subgraph  $H = (V, E_H)$  is a  $k$ -spanner of  $G = (V, E)$  if for every pair of vertices  $u, v \in V$ , the shortest path distance  $d_H(u, v)$  from  $u$  to  $v$  in  $H$  is at most  $k \cdot d_G(u, v)$ . Since they were introduced by Peleg and Schäffer [36] in the context of distributed computing, spanners for undirected graphs have been extensively studied. The tradeoff between the parameter  $k$ , called the *stretch*, and the number of edges in a spanner is relatively well understood: for every  $k \geq 1$ , any undirected graph on  $n$  vertices has a  $(2k - 1)$ -spanner with  $O(n^{1+1/k})$  edges [6, 35, 47]. This is known to be tight for  $k = 1, 2, 3, 5$  and is conjectured to be tight for all  $k$  (see, for example a survey by Zwick [50]). Undirected spanners have numerous applications, such as efficient routing [15, 16, 38, 39, 46],

simulating synchronized protocols in unsynchronized networks [37], parallel and distributed algorithms for approximating shortest paths [13, 14, 19], and algorithms for distance oracles [9, 47].

In the directed setting, two notions of spanners have been considered in the literature: the direct generalization of the above definition [36] and *roundtrip spanners* [16, 39]. In this paper, we introduce a new definition of directed spanners that captures the notion that a spanner should have a small diameter but preserve the connectivity of the original graph.

**DEFINITION 1.1. (TC-SPANNER)** *Given a directed graph  $G = (V, E)$  and an integer  $k \geq 1$ , a  $k$ -transitive-closure-spanner ( $k$ -TC-spanner) is a directed graph  $H = (V, E_H)$  with the following properties: (1)  $E_H$  is a subset of the edges in the transitive closure of  $G$ . (2) For all vertices  $u, v \in V$ , if  $d_G(u, v) < \infty$ , then  $d_H(u, v) \leq k$ .*

Notice that a  $k$ -TC-spanner of  $G$  is just a directed  $k$ -spanner of the transitive-closure of  $G$ . Nevertheless, TC-spanners are interesting in their own right due to the numerous TC-spanner-specific applications we present in Section 1.3.

One of the focuses of this paper is the study of the computational problem of finding the size of the sparsest  $k$ -TC-spanner for a given digraph, referred to as  $k$ -TC-SPANNER. It is a special case of the problem of finding the size of the sparsest directed spanner, called DIRECTED  $k$ -SPANNER, that has been previously studied. Both problems are NP-hard (proofs appear in the full version [10]).

**1.1 Related Work** Thorup [42] considered a special case of TC-spanners of graphs  $G$  that have at most twice as many edges as  $G$ , and conjectured that for all directed graphs  $G$  on  $n$  nodes there are such TC-spanners with stretch polylogarithmic in  $n$ . He proved his conjecture for planar graphs [43], but later Hesse [30] gave a counterexample to Thorup’s conjecture for general graphs. TC-spanners were also studied for directed trees: implicitly in [5, 8, 11, 17, 49] and explicitly in [44]. For the directed line, [5] (and later, [8]) showed that the size of the sparsest  $k$ -TC-spanner is  $\Theta(n \cdot \lambda_k(n))$ , where  $\lambda_k(n)$  is the  $k^{\text{th}}$ -row inverse Ackermann function. [5, 11, 44] gave the same bounds for directed trees.

**Approximability of directed spanner problems.** All algorithms for DIRECTED  $k$ -SPANNER immediately yield algorithms for  $k$ -TC-SPANNER with the same approximation ratio. Kortsarz and Peleg [33] give an  $O(\log n)$ -approximation algorithm for DIRECTED-2-SPANNER, and Kortsarz [32] shows that this approximation ratio cannot be improved unless P=NP. For  $k = 3$ , Elkin and Peleg [20] present an  $\tilde{O}(n^{2/3})$ -approximation algorithm. Their algorithm is complicated, and the polylog factor hidden in the  $\tilde{O}$  notation is not analyzed. For  $k \geq 4$ , sublinear factor approximation algorithms are known only in the undirected setting [36]. We note that Dodis and Khanna [18] and Chekuri

*et al.* [12] study algorithms that might seem relevant to  $k$ -TC-SPANNER. In [10], we explain why these algorithms do not work for  $k$ -TC-SPANNER.

For all constant  $k > 2$  and  $\epsilon \in (0, 1)$ , it is impossible to approximate DIRECTED  $k$ -SPANNER within a factor of  $2^{\log^{1-\epsilon} n}$ , assuming  $\text{NP} \not\subseteq \text{DTIME}(n^{\text{poly} \log n})$  [20]. Moreover, [23] extend this result to  $3 \leq k = O(n^{1-\delta})$  for all  $\delta \in (0, 1)$ . Thus, according to Arora and Lund’s classification [31] of NP-hard problems, DIRECTED  $k$ -SPANNER is in class III, for  $3 \leq k = O(n^{1-\delta})$ . Moreover, [23] show that proving that DIRECTED  $k$ -SPANNER is in class IV, that is, inapproximable within  $n^\delta$  for some  $\delta \in (0, 1)$ , would resolve a long standing open question in complexity theory, and cause classes III and IV to collapse into a single class.

**1.2 Our Contributions** In this work we (1) bring several diverse applications, including property testing, access control and data structures, under the unifying framework of TC-spanners, (2) obtain bounds on the approximability of  $k$ -TC-SPANNER, DIRECTED  $k$ -SPANNER and well-studied variants of these problems, and (3) construct sparse TC-spanners for the family of  $H$ -minor free graphs, which include planar, bounded-treewidth, and bounded genus graphs. Table 1 summarizes our results on the approximability of  $k$ -TC-SPANNER.

**Algorithms for  $k$ -TC-SPANNER and related problems.** We present two deterministic polynomial time approximation algorithms for  $k$ -TC-SPANNER. Our first algorithm uses a new combination of convex programming and sampling, and gives an  $O((n \log n)^{1-1/k})$ -ratio for  $k$ -TC-SPANNER. Moreover, our method yields the same approximation ratio for DIRECTED  $k$ -SPANNER and its well-studied variants: CLIENT/SERVER DIRECTED  $k$ -SPANNER, and  $k$ -DIAMETER SPANNING SUBGRAPH (see [21] for definitions). This resolves the open question of finding a sublinear approximation ratio for these problems for  $k > 3$ , described as a “challenging direction” for research on directed spanners by Elkin and Peleg [22]. Our algorithm for  $k = 3$  is arguably simpler than the  $O(n^{2/3} \text{polylog } n)$ -approximation algorithm of [22].

Our second algorithm has an  $\tilde{O}(n/k^2)$  ratio for  $k$ -TC-SPANNER. This demonstrates a separation between  $k$ -TC-SPANNER and DIRECTED  $k$ -SPANNER: for  $k = \sqrt{n}$ , it gives  $O(\log n)$ -approximation for  $k$ -TC-SPANNER while [23, Theorem 6.6] showed that DIRECTED  $\sqrt{n}$ -SPANNER is  $2^{\log^{1-\epsilon} n}$ -inapproximable. Moreover, Hesse [30] asks for an algorithm to add  $O(|G|)$  “shortcuts” to a digraph and reduce its diameter to  $\sqrt{n}$ . Our second algorithm returns a  $\sqrt{n}$ -TC-spanner of size  $O(|G| + \log n)$ , answering his question.

**Inapproximability of  $k$ -TC-SPANNER.** We present two results on the hardness of  $k$ -TC-SPANNER. First, we prove for  $k = 2$  that the  $O(\log n)$  ratio of [33] is optimal unless P=NP. Next, for constant  $k > 2$ , we show that  $k$ -TC-

Setting of $k$	Implied by previous work	This paper	Notes
$k = 2$	$O(\log n)$ [33]	$\Omega(\log n)$	
constant $k > 2$		$\Omega(2^{\log^{1-\epsilon} n})$	
$k = 3$	$O(n^{2/3} \text{polylog } n)$ [20]	$O((n \log n)^{2/3})$	applies to DIRECTED $k$ -SPANNER
$k > 3$	$O(n)$ [trivial]	$O((n \log n)^{1-1/k})$	
$k = \Omega\left(\frac{\log n}{\log \log n}\right)$	$O(n)$ [trivial]	$O\left(\frac{n \log n}{k^2 + k \log n}\right)$	separation from DIRECTED $k$ -SPANNER

Table 1: Summary of Results on Approximability of  $k$ -TC-SPANNER

SPANNER is inapproximable within a factor of  $2^{\log^{1-\epsilon} n}$ , for all  $\epsilon \in (0, 1)$ , unless  $\text{NPC} \subseteq \text{DTIME}(n^{\text{polylog } n})$ . This result is our main technical contribution. Observe that a stronger inapproximability result for  $k > 2$  would imply the same inapproximability for DIRECTED- $k$ -SPANNER, and as shown in [23], collapse classes III and IV in Arora and Lund’s classification.

Our  $2^{\log^{1-\epsilon} n}$ -hardness matches the known hardness for DIRECTED  $k$ -SPANNER. As is the case for DIRECTED  $k$ -SPANNER, we start by building a directed graph from a well-known hard problem called MIN-REP, which has the same inapproximability as SYMMETRIC LABEL COVER. However, as illustrated in Section 3, all known hard instances for DIRECTED  $k$ -SPANNER cannot imply anything better than  $\Omega(1)$ -hardness for  $k$ -TC-SPANNER. Intuitively, our lower bound is much harder to prove than the one for DIRECTED  $k$ -SPANNER since our instance must be transitively-closed, and thus, many more “shortcut” routes between pairs of vertices exist. Our construction uses a novel application of the generalized butterfly and broom graphs, together with several transformations of the MIN-REP problem, which make it *noise-resilient*. We call a MIN-REP instance noise-resilient to indicate that its structure is preserved under small perturbations. The paths in the generalized butterfly are well-structured, which allows us to analyze the many different routes possible in the transitive closure.

**Structural results.** Finally, we study the minimum  $k$ -TC-spanner size for a specific graph family with sparse  $k$ -TC-spanners:  $H$ -minor-free graphs. A graph  $H$  is a *minor* of  $G$  if  $H$  is a subgraph of a graph obtained from  $G$  by a sequence of edge contractions and deletions. For a fixed graph  $H$  (e.g.,  $K_5$ ), the family of  $H$ -minor-free graphs is a minor-closed family that excludes  $H$ . Examples of such families include planar graphs, bounded treewidth graphs, and bounded genus graphs, explicitly studied in applications in Section 1.3. For  $H$ -minor-free graphs, we efficiently construct 2-TC-spanners of size  $O(n \log^2 n)$ , and  $k$ -TC-spanners of size  $O(n \cdot \log n \cdot \lambda_k(n))$ , where  $\lambda_k(\cdot)$  is the  $k^{\text{th}}$ -row inverse Ackermann function. The main idea is to use the path separators for undirected  $H$ -minor free graphs due to Abraham and Gavioille [1]. However, although the separators are paths, in our digraph they may be the union

of many dipaths, and so we cannot efficiently recurse using the sparse  $k$ -TC-spanners for the directed line of Alon and Schieber [5]. We observe that these separators satisfy a stronger property than claimed in [1], effectively allowing us to encode the direction of edges in a cost function associated with the separators.

### 1.3 Applications of TC-spanners

**Monotonicity testing.** Monotonicity of functions [4, 17, 24, 25, 26, 27, 29] is one of the most studied properties in property testing [28, 40]. Fischer *et al.* [26] prove that testing monotonicity is equivalent to several other testing problems. Let  $V_n$  be a poset of  $n$  elements and  $G_n = (V_n, E)$  be the relation graph, i.e., the Hasse diagram, for  $V_n$ . A function  $f : V_n \rightarrow \mathbb{R}$  is called *monotone* if  $f(x) \leq f(y)$  for all  $(x, y) \in E$ . We say  $f$  is  $\epsilon$ -far from monotone if  $f$  has to be changed on  $\geq \epsilon$  fraction of the domain to become monotone, that is,  $\min_{\text{monotone } g} |\{x : f(x) \neq g(x)\}| \geq \epsilon n$ . A monotonicity tester on  $G_n$  is an algorithm that, given an oracle for a function  $f : V_n \rightarrow \mathbb{R}$ , passes if  $f$  is monotone but fails with probability  $\geq \frac{2}{3}$  if  $f$  is  $\epsilon$ -far from monotone. The optimal monotonicity tester for the directed line  $L_n$ , consisting of nodes  $\{1, 2, \dots, n\}$  and edges  $\{(i, i+1) : 1 \leq i \leq n-1\}$ , proposed by Dodis *et al.* [17], is based on the sparsest 2-TC-spanner for that graph. Implicit in the proof of Proposition 9 in [17] is a lemma relating the complexity of a monotonicity tester for  $L_n$  to the size of a 2-TC-spanner for  $L_n$ . We generalize this by observing that a sparse 2-TC-spanner for any partial order graph  $G_n$  implies an efficient monotonicity tester on  $G_n$ .

**LEMMA 1.1.** *If a directed acyclic graph  $G_n$  has a 2-TC-spanner with  $s(n)$  edges, then there exists a monotonicity tester on  $G_n$  that runs in time  $O\left(\frac{s(n)}{\epsilon n}\right)$ .*

*Proof.* The tester selects  $\frac{8s(n)}{\epsilon n}$  edges of the 2-TC-spanner  $H$  uniformly at random. It queries function  $f$  on the endpoints of all the selected edges and rejects if some selected edge  $(x, y)$  is *violated* by  $f$ , that is,  $f(x) > f(y)$ .

If the function  $f$  is monotone on  $G_n$ , the algorithm always accepts. The crux of the proof is to show that functions that are  $\epsilon$ -far from monotone are rejected with

probability at least  $\frac{2}{3}$ . Let  $f : V_n \rightarrow \mathbb{R}$  be a function that is  $\epsilon$ -far from monotone. It is enough to demonstrate that  $f$  violates at least  $\frac{\epsilon n}{4}$  edges in  $H$ . Then each selected edge is violated with probability  $\frac{\epsilon n}{4s(n)}$ , and the lemma follows by elementary probability theory.

Denote the transitive closure of  $G$  by  $TC(G)$ . We say a vertex  $x \in V_n$  is assigned a *bad* label by  $f$  if  $x$  has an incident violated edge in  $TC(G_n)$ ; otherwise,  $x$  has a *good* label. Let  $V'$  be a set of vertices with good labels. Observe that  $f$  is monotone on the induced subgraph  $G' = (V', E')$  of  $TC(G)$ . This implies ([26], Lemma 1) that  $f$  can be changed into a monotone function by modifying it on at most  $|V_n - V'|$  vertices. Since  $f$  is  $\epsilon$ -far from monotone, it shows that there are at least  $\epsilon n$  vertices with bad labels.

Every function that is  $\epsilon$ -far from monotone has a matching  $M$  of at least  $\frac{\epsilon n}{2}$  violated edges in  $TC(G)$  [17]. We will establish a map from the set of edges in  $M$  to the set of violated edges in  $H$ , so that each violated edge in  $H$  is the image of at most 2 edges in  $M$ . For each edge  $(x, y)$  in the matching, consider the corresponding path from  $x$  to  $y$  of length at most 2 in the 2-TC-spanner  $H$ . If the path is of length 1,  $(x, y)$  is the violated edge in  $H$  corresponding to the matching edge  $(x, y)$ . Otherwise, let  $(x, z, y)$  be a path of length 2 in  $H$ . At least one of the edges  $(x, z)$  and  $(z, y)$  is violated, and we map  $(x, y)$  to that edge. Since  $M$  is a matching, at most 2 edges in  $M$  can be mapped to one violated edge in  $TC(G)$ . Thus, the 2-TC-spanner  $H$  has  $\geq \frac{\epsilon n}{4}$  violated edges, as required.  $\square$

Therefore, all the 2-TC-spanner constructions described in this paper yield monotonicity testers for functions defined on the corresponding posets. Moreover, for  $H$ -minor free graphs, the resulting tester has much better query complexity than the previously known, due to Fischer *et al.* [26]. Indeed, we achieve testers with  $O(\log^2 n/\epsilon)$  queries, whereas previous testers required  $\Theta(\sqrt{n}/\epsilon)$  queries.

**Key management in an access hierarchy.** In the problem of key management in an access hierarchy, i.e., access control, there is a partially ordered set (poset) of access classes and a key associated with each class. This is modeled by a directed graph  $G$  whose nodes are classes and whose edges indicate an ordering. A user is entitled to access a certain class and all classes reachable from it. This problem arises in content distribution, operating systems, and project development (see, e.g., the references in [8]). One approach to the access control problem [7, 8, 41] is to associate public information  $P(i, j)$  with each edge  $(i, j) \in G$  and a secret key  $k_i$  with each node  $i$ . There is an efficient algorithm  $A$  which takes  $k_i$  and  $P(i, j)$  and generates  $k_j$ . However, for each  $(i, j)$  in  $G$ , it is computationally hard to generate  $k_j$  without knowledge of  $k_i$ . To obtain a key  $k_v$  from a key  $k_u$ , algorithm  $A$  is run  $d_G(u, v)$  times. To speed this up, [8] suggest adding edges to  $G$  to increase connectivity. To preserve the access hierarchy of  $G$ , new

edges must be from the transitive closure of  $G$ . The number of edges added corresponds to the space complexity of the scheme, while the shortest-path distances correspond to the time complexity. Implicit in [8] are TC-spanners for directed trees with  $k = 3$  and size  $O(n \log \log n)$  and also with  $k = O(\log \log n)$  and size  $O(n)$ . Our results for  $H$ -minor free graphs extend the known posets for which access control schemes have  $O(n \text{ polylog } n)$  storage and  $O(1)$  key derivation time. Our approximation algorithms yield sparse  $k$ -TC-spanners for general posets.

**Partial products in a semigroup.** Yao [49] and Alon and Schieber [5] study space-efficient data structures for the following problem: Preprocess elements  $\{s_1, \dots, s_n\}$  of a semigroup  $(S, \circ)$ , such as  $(\mathbb{R}, \min)$ , to be able to compute partial products  $s_i \circ s_{i+1} \circ \dots \circ s_j$  for all  $1 \leq i < j \leq n$  with at most  $k$  queries to a small database of pre-computed partial products. This problem reduces to finding a sparsest  $k$ -TC-spanner for a directed line  $L_{n+1}$ . Chazelle [11] and Alon and Schieber also consider a generalization of the above problem, where the input is an (undirected) tree  $T$  with an element  $s_i$  of a semigroup associated with each vertex  $i$ . The goal is to create a space-efficient data structure that allows one to compute the product of elements associated with all vertices on the path from  $i$  to  $j$ , for all vertex pairs  $i, j$  in  $T$ . The generalized problem reduces to finding a sparsest  $k$ -TC-spanner for a directed tree  $T'$  obtained from  $T$ . We describe the reduction in the full version of this paper [10].

*Organization.* Section 2 contains an overview of our algorithms. In Section 3, we give an overview of our lower bounds and the techniques involved. Section 4 contains an overview of our bounds for minor-free graphs. We defer the details and proofs of our results to [10].

*Notation.* The *transitive closure* of a graph  $G = (V, E)$ , denoted  $TC(G)$ , is the directed graph  $(V, E')$ , where  $E' = \{(u, v) : u \rightsquigarrow_G v\}$ . Vertices  $u$  and  $v$  are *comparable* if either  $(u, v) \in TC(G)$  or  $(v, u) \in TC(G)$ . The *transitive reduction* of  $G$ , denoted  $TR(G)$ , is a digraph  $G'$  with the fewest edges for which  $TC(G') = TC(G)$ . As shown by Aho *et al.* [3],  $TR(G)$  can be computed efficiently via a greedy algorithm. For directed acyclic graphs  $TR(G)$  is unique, and  $G$  is *transitively reduced* if  $TR(G) = G$ . We call an edge a *shortcut edge* if it is in  $TC(G)$  but not in  $G$ .

The *Ackermann function* [2] is defined by:  $A(1, j) = 2^j$ ,  $A(i+1, 0) = A(i, 1)$ ,  $A(i+1, j+1) = A(i, 2^{A(i+1, j)})$ . The inverse Ackermann function is  $\alpha(n) = \min\{i : A(i, 1) \geq n\}$  and the  $i^{\text{th}}$ -row inverse is  $\lambda_i(n) = \min\{j : A(i, j) \geq n\}$ .

## 2 Overview of Algorithms for $k$ -TC-SPANNER and Related Problems

Our  $O((n \log n)^{1-1/k})$ -approximation for  $k$ -TC-SPANNER for arbitrary  $k$  is based on a new combination of convex programming and sampling. Our technique also achieves an  $O((n \log n)^{1-1/k})$  ratio for DIRECTED  $k$ -

SPANNER, CLIENT/SERVER DIRECTED  $k$ -SPANNER, and  $k$ -DIAMETER SPANNING SUBGRAPH. Here we describe the result for DIRECTED  $k$ -SPANNER. To achieve the same result for  $k$ -TC-SPANNER, it suffices to run the algorithm on the transitive-closure of the input digraph.

**THEOREM 2.1.** *For any (not necessarily constant)  $k > 2$ , there is a deterministic polynomial-time algorithm achieving an  $O((n \log n)^{1-1/k})$ -approximation for DIRECTED  $k$ -SPANNER.*

We start by formulating the problem as an integer program. We briefly explain the problems with this approach and the ideas required to make it work. One can introduce binary edge variables  $x_e$  for each edge  $e$  in the transitive closure, and binary path variables  $y_P$  for each path  $P$  of length  $\leq k$  in the transitive closure. One enforces the constraints  $y_P \leq x_e$  for each  $e \in P$ , which allow a path  $P$  in the spanner only if all edges along it are present. The final constraint is  $\sum_P y_P \geq 1$  for all edges  $(u, v) \in G$ , where the sum is over paths  $P$  of length  $\leq k$  from  $u$  to  $v$ . Finally, one can relax the problem to an LP, and try to round the solution.

The first problem is that the integrality gap is huge, which may be why an LP approach had not been considered before. Indeed, if there are  $\Theta(n)$  paths of length at most  $k$  (say, for constant  $k$ ) between  $u$  and  $v$ , the LP might assign each of them a value of  $\Theta(1/n)$ . However, we observe that if there are  $r = n^{1-1/k}$  distinct paths from  $u$  to  $v$  of length  $\leq k$ , there must be  $\geq r^{1/(k-1)}$  distinct vertices  $w$  for which  $u \rightsquigarrow w \rightsquigarrow v$ . Let  $BFS(v)$  denote a shortest path tree of edges directed away from  $v$ , together with a shortest path tree of edges directed towards  $v$ . We sample  $\tilde{O}(n/r^{1/(k-1)})$  vertices, and grow  $BFS(w)$  of  $2(n-1)$  edges around each sample  $w$ . Then we are likely to sample a  $w$  for which  $u \rightsquigarrow w \rightsquigarrow v$ , and the path from  $u$  to  $v$  along the edges in  $BFS(w)$  has length  $\leq k$ . We let the spanner  $H$  be the union of the outputs of the LP and sampling-based algorithms.

1.  $H \leftarrow \emptyset$ .
2. For each edge  $e \in G$ , if  $x_e \geq \frac{1/2}{(n \log n)^{1-1/k}}$ ,  $H \leftarrow H \cup \{e\}$ .
3. Randomly sample  $r = O((n \log n)^{1-1/k})$  vertices  $z_1, z_2, \dots, z_r \in G$ .
4.  $H \leftarrow H \cup (\cup_i BFS(z_i))$ . Output  $H$ .

With high probability, an edge  $(u, v)$  is covered by either the LP relaxation or the sampling.

**LEMMA 2.1.** *With probability at least  $1 - 1/n$ ,  $H$  is a  $k$ -TC-spanner of  $G$ .*

The spanner has at most  $r \cdot OPT + \frac{n^2}{r^{1/(k-1)}}$  edges, where  $OPT$  is the optimum of the LP. By observing that any

spanner must have size  $\min(OPT, n-1)$ , one can guarantee that this is an  $\tilde{O}(n^{1-1/k})$ -approximation. Note that we assume that  $G$  is connected, as otherwise we can run the algorithm separately on each component. A more careful analysis gives an  $O((n \log n)^{1-1/k})$ -approximation, and a simple greedy algorithm derandomizes the sampling.

**LEMMA 2.2.**  $|H| = O((n \log n)^{1-1/k} OPT)$ .

The problem with this approach is that the number of variables and the size of each of the constraints grows exponentially with  $k$ . We replace the variables  $y_P$  with  $\min_{e \in P} x_e$ , reducing the number of variables to  $O(n^2)$ . The resulting program is convex, and we use the ellipsoid algorithm with a separation oracle. The oracle, given  $\vec{x}$ , just needs to find one pair of vertices  $(u, v)$  for which the constraint  $\sum_{P: u \rightsquigarrow v} \min_{e \in P} x_e \geq 1$  is violated. It can do this by sorting the coordinates of  $\vec{x}$ , and counting the number of  $u$ - $v$  paths  $P$  for which some particular  $x_e$  is the minimum edge variable along  $P$ . For this, it iteratively removes edges  $e$  from  $G$  for which  $x_e$  is smallest, and uses matrix multiplication to count the  $u$ - $v$  paths that remain in the graph.

**LEMMA 2.3.** *For any  $k$ , there exists a separation oracle which runs in time  $\text{poly}(n)$ .*

**$k$ -TC-SPANNER algorithm for large  $k$ .** Our  $\tilde{O}(n/k^2)$ -approximation algorithm, which is specific to  $k$ -TC-SPANNER, works by sampling  $\tilde{O}(n/k)$  vertices and selecting  $O(n/k)$  edges from the transitive closure adjacent to the samples. We also include the edges of  $TR(G)$  in the spanner. A simple greedy algorithm derandomizes the sampling.

**THEOREM 2.2.** *For any  $k$ , there exists a deterministic approximation algorithm for the  $k$ -TC-SPANNER problem with approximation ratio  $O((n \log n)/(k^2 + k \log n))$ .*

### 3 Overview of Hardness Results for $k$ -TC-Spanner

This section outlines the proof of Theorem 3.1, which is our main technical contribution. Missing details appear in [10]. At the end we briefly describe the ideas behind the inapproximability result for 2-TC-SPANNER.

**THEOREM 3.1.** *For any fixed  $\epsilon \in (0, 1)$ , the size of the sparsest  $k$ -TC-spanner cannot be approximated to within a factor of  $2^{\log^{1-\epsilon} n}$  unless  $NP \subseteq DTIME(n^{\text{poly} \log n})$ .*

**3.1 The Construction and its Motivation** Since  $k$ -TC-SPANNER is a special case of DIRECTED  $k$ -SPANNER, which is  $\Theta(\log n)$ -inapproximable for  $k = 2$  and  $2^{\log^{1-\epsilon} n}$ -inapproximable for  $k \geq 3$ , it is natural to ask whether the hard instances of DIRECTED  $k$ -SPANNER from [32, 20, 23] can be used to prove hardness for  $k$ -TC-SPANNER. It turns out that all these instances have very small  $k$ -TC-spanners. We demonstrate it for the instance used in the

proof of  $\Omega(\log n)$ -hardness for DIRECTED  $k$ -SPANNER, which works via a reduction from SET-COVER.

Let  $G$  be a bipartite digraph for SET-COVER with  $n$  vertices (“sets”) on the left,  $n$  vertices (“elements”) on the right, and edges from left to right. Let  $I$  be a set of  $i$  new independent vertices, for some value  $i$ , and let  $L$  be a directed line on  $k - 1$  new vertices. Call the first vertex of  $L$  the head, and the last vertex the tail. Include directed edges (1) from the tail of  $L$  to every set in  $G$ , (2) from every vertex of  $I$  to the head of  $L$ , and (3) from every vertex of  $I$  to the sets and the elements of  $G$ . Call the constructed digraph  $G'$ .

Observe that in  $G'$ , all directed edges except those from  $I$  to  $G$  must be included in the directed  $k$ -spanner, as such edges form the unique path between their endpoints. At this point, the only pairs of vertices at distance larger than  $k$  are those from a vertex in  $I$  to an element of  $G$ . Since these vertices are adjacent in  $G'$ , there must be a path of length at most  $k$  in the spanner. The only possible path is from the vertex in  $I$  to a vertex of  $G$ . It is easy to see that adding exactly  $OPT$  edges from each vertex in  $I$  to the sets of  $G$  is necessary and sufficient to obtain a spanner, where  $OPT$  is the size of the minimum set-cover. By making  $i$  sufficiently large, the size of the spanner is easily seen to be  $\Theta(i \cdot OPT)$ , and thus one can approximate SET-COVER by approximating DIRECTED  $k$ -SPANNER, so the problem is  $\Omega(\log n)$ -inapproximable.

However, there is a trivial  $k$ -TC-spanner for this instance! Indeed, by transitivity we can simply connect the head of  $L$  to each of the elements of  $G$ . This is a  $k$ -TC-spanner of size proportional to the number of vertices in  $G'$ . Thus, the best one could hope for with this instance is to show  $\Omega(1)$ -hardness for  $k$ -TC-SPANNER. For similar reasons, the instance showing  $2^{\log^{1-\epsilon} n}$ -inapproximability for DIRECTED  $k$ -SPANNER also cannot establish anything beyond  $\Omega(1)$ -hardness for  $k$ -TC-SPANNER.

In the example above there are many paths to cover (those from  $I$  to elements of  $G$ ), but a few “shortcut” edges cover them all. Ideally, we would have many paths to cover, and each shortcut edge could only cover a single path. Hesse’s digraph requiring a large number of shortcuts to reduce its diameter [30] satisfies the desired condition. His idea was to associate vertices with a subset  $V$  of vectors in  $\mathbb{R}^d$  such that  $(u, v) \in E$  iff  $u - v$  is an extreme point of the  $d$ -dimensional ball of integer points. By the properties of an extreme point, a shortcut can cover at most one path from a large family of shortest paths.

However, to achieve an inapproximability result, we need better structured graphs. We use *generalized butterflies* defined in [48]. In these digraphs vertices are identified with coordinates  $[n^{1/k}]^k \times [k + 1]$ , and an edge connects  $u = (u_1, \dots, u_k, i)$  to  $v = (v_1, \dots, v_k, i + 1)$  iff for all  $j \neq i$ ,  $u_j = v_j$ . We say a vertex  $(u_1, \dots, u_k, i)$  is in *strip*  $i$ . It is easy to see that there is a unique shortest path of length

$k$  from any  $u$  in strip 1 to any  $v$  in strip  $k + 1$ . Moreover, any shortcut is on at most  $n^{1-2/k}$  such paths because if it connects a vertex in strip  $i$  with a vertex in strip  $i + \ell$  (where  $\ell \geq 2$ ) it fixes all but  $i - 1$  coordinates of  $u$  and all but  $k + 1 - (i + \ell)$  coordinates of  $v$ . Thus,  $\geq n^{1+2/k}$  shortcuts are needed to reduce the diameter to  $k - 1$ .

**Reduction from MIN-REP.** To get  $2^{\log^{1-\epsilon} n}$ -inapproximability, we reduce from the MIN-REP problem. An  $(n, r, d, m)$ -MIN-REP instance is a bipartite graph of maximum degree  $d$  in which the left part can be partitioned into sets  $\mathcal{A}_1, \dots, \mathcal{A}_r$  and the right part into sets  $\mathcal{B}_1, \dots, \mathcal{B}_r$ , so that  $|\mathcal{A}_i| = |\mathcal{B}_i| = n/r$  for all  $i \in [r]$ . To describe the last parameter  $m$ , call a vertex *isolated* if its degree is 0, and *non-isolated* otherwise. Let  $m(\mathcal{A}_i)$  be the inverse of the fraction of non-isolated vertices in  $\mathcal{A}_i$ . Then  $m$  is the minimum such  $m(\mathcal{A}_i)$ . Define the *supergraph* to have nodes  $\mathcal{A}_1, \dots, \mathcal{A}_r, \mathcal{B}_1, \dots, \mathcal{B}_r$ , with a *superedge*  $(\mathcal{A}_i, \mathcal{B}_j)$  iff there is a node in  $\mathcal{A}_i$  adjacent to a node in  $\mathcal{B}_j$ . A *rep-cover* is a vertex set  $S$  in the graph such that whenever  $(\mathcal{A}_i, \mathcal{B}_j)$  is an edge in the supergraph, there is an edge between some  $u, v \in S$  with  $u \in \mathcal{A}_i$  and  $v \in \mathcal{B}_j$ . A solution to MIN-REP is a smallest rep-cover, and its size is denoted by  $OPT$ . The problem is  $2^{\log^{1-\epsilon} n}$ -inapproximable [20].

As a first attempt, we construct a graph  $G$  of diameter  $k + 2$  as follows. We attach a disjoint copy of a generalized butterfly of diameter  $k - 1$  to each  $\mathcal{A}_i$  in the MIN-REP instance graph; that is, we identify the vertices in  $\mathcal{A}_i$  with the last strip of the butterfly. We call the vertices in the butterfly at distance  $x$  from  $\mathcal{A}_i$  the  $x$ -th *shadow* of  $\mathcal{A}_i$ . Next, for each  $\mathcal{B}_j$ , we attach what we call a *broom*. This is a 3-layer graph, where the two leftmost layers form a bipartite clique, and the right layer consists of degree-1 nodes, called *broomsticks*, attached to nodes in the middle layer. Each node in the middle layer has the same number of broomsticks attached to it. Each  $\mathcal{B}_j$  is identified with the left layer of a disjoint broom. All edges of  $G$  are directed from the shadows of the  $\mathcal{A}_i$  towards the broomsticks (left to right).

We would like to argue that the minimum  $k$ -TC-spanner  $H$  of  $G$  is formed as follows. Let  $S$  be a minimum rep-cover of the underlying MIN-REP instance. For each  $s \in S$ , if  $s$  is in an  $\mathcal{A}_i$ , include all shortcuts from the 2-shadow of  $\mathcal{A}_i$  to  $s$  which are in the transitive closure of  $G$ . Otherwise ( $s$  is in a  $\mathcal{B}_j$ ), include all shortcuts from  $s$  to the broomsticks of  $\mathcal{B}_j$ . By balancing the number of broomsticks with the size of 2-shadows, one can show  $H$  has size  $|S|f(n, k)$ , where  $f(n, k)$  is an easily computable function. Since  $S$  is a rep-cover,  $H$  is a  $k$ -TC-spanner. If  $H$  were optimal, then approximating its size within some factor would approximate MIN-REP within the same factor.

It turns out that  $H$  is not optimal, and so our first attempt does not work. Below, we modify  $G$  and consider a related  $k$ -TC-spanner  $H$  of the modified  $G$ . We show that any  $k$ -TC-spanner has size  $\Omega(|H|/\log n)$  for constant  $k$ . Since MIN-

REP is  $2^{\log^{1-\epsilon} n}$ -inapproximable, this still gives  $2^{\log^{1-\epsilon} n}$ -hardness.

To prove this, we need to argue that most vertices  $v$  in the  $k$ -shadows do not “benefit” from traversing other shortcuts to reach the broomsticks. This requires a classification of all alternative routes from such  $v$  to broomsticks. Since  $v$  is in a generalized butterfly, these routes are well-understood. However, for a generic MIN-REP instance, most of these routes do indeed lead to a much smaller  $k$ -TC-spanner.

To rule out the alternative routes, we ensure that OPT and the four parameters of the MIN-REP instance each lie in a narrow range. In Theorem 3.2, we prove that MIN-REP with the required parameter restrictions is inapproximable by giving a reduction from an unrestricted MIN-REP instance. It works by carefully interleaving the following five operations on a “base” MIN-REP instance with unrestricted parameters: (1) disjoint copies, (2) dummy vertices inside clusters, (3) blowup inside clusters with matching supergraph, (4) blowup inside clusters with complete supergraph, and (5) tensoring. Each operation increases one or several parameters by a prespecified factor, and together they give us five degrees of freedom to control the range of OPT and the four parameters of MIN-REP.

**THEOREM 3.2. (Noise-Resilient MIN-REP is hard)** Fix parameters  $\kappa \in (0, 1)$  and  $R, D, M, F \in (0, 1 - \kappa)$  satisfying  $F \in (R, 2R)$  and  $D + M + F < 1$ . Noise-Resilient MIN-REP is a family of  $(n, r, d, m)$ -MIN-REP instances with  $r \in [n^R, n^{R+\kappa}]$ ,  $d \in [n^D, n^{D+\kappa}]$ ,  $m \in [n^M, n^{M+\kappa}]$ , and  $OPT \in [n^F, n^{F+\kappa}]$ . This problem is  $2^{\log^{1-\epsilon} n}$ -inapproximable for all  $\epsilon \in (0, 1)$  unless  $NP \subseteq DTIME(n^{\text{polylog} n})$ .

The variant of MIN-REP in Theorem 3.2 is called “noise-resilient” because even if many vertices in the sets  $\mathcal{A}_i$  and  $\mathcal{B}_j$  are adversarially deleted in an instance of this problem, the minimum rep-cover does not shrink significantly. This property helps us rule out many alternative routes in the TC-spanner, though we will need to change our graph  $G$ . Our reduction from noise-resilient MIN-REP to  $k$ -TC-SPANNER for  $k > 2$  consists of two steps: first we produce a specialized MIN-REP instance  $\mathcal{I}$  from an arbitrary instance  $\mathcal{I}_0$  of noise-resilient MIN-REP, and then we construct a  $k$ -TC-SPANNER instance  $\mathcal{G}$  by carefully adjoining generalized butterflies on the left and broom graphs on the right of  $\mathcal{I}$ .

**From noise-resilient MIN-REP to specialized MIN-REP.** Set  $\delta = \frac{k-1}{k-\frac{1}{4}}$ ,  $\eta = \frac{\delta}{2(4k-4)(4k-2)}$ , and  $\zeta = \delta \left( \frac{4k-5}{4k-4} + \frac{1}{4k-2} \right)$ . Let  $\kappa$  be a sufficiently small positive constant. We start from an  $(n_0, r_0, d_0, m_0)$ -instance  $\mathcal{I}_0$  of noise-resilient MIN-REP with optimum  $OPT_0$ , where  $n_0 = n^\delta$ ,  $r_0 \in [n^{\delta/2}, n^{\delta/2+\kappa}]$ ,  $d_0 \in [n^\eta, n^{\eta+\kappa}]$ ,  $m_0 \in [n^{2\eta}, n^{2\eta+\kappa}]$ , and  $OPT_0 \in [n^\zeta, n^{\zeta+\kappa}]$ . By instantiating Theorem 3.2 with  $R = \frac{1}{2}$ ,  $D = \frac{1}{\delta}$ ,  $M = \frac{2\eta}{\delta}$ ,




Figure 1: TC-spanner instance  $\mathcal{G}$  & an example of a broom.

$F = \frac{\zeta}{\delta}$  and  $\kappa$ , we obtain that the  $(n_0, r_0, d_0, m_0)$ -MIN-REP problem is  $2^{\log^{1-\epsilon} n}$ -inapproximable unless  $NP \subseteq DTIME(n^{\text{polylog} n})$ . The conditions on the parameters in Theorem 3.2 are satisfied since  $\zeta \in (\frac{\delta}{2}, \delta)$  and  $\eta + 2\eta + \zeta < \delta$ .

We transform  $\mathcal{I}_0$  to a specialized  $(n, r, d, m)$ -MIN-REP instance  $\mathcal{I}$  with  $r = r_0$ ,  $d = d_0 n^{1-\delta}$  and  $m = m_0$ . Graph  $\mathcal{I}$  is bipartite, with nodes partitioned into clusters  $\mathcal{A}_1, \dots, \mathcal{A}_r$  on the left, and  $\mathcal{B}_1, \dots, \mathcal{B}_r$  on the right. Each  $\mathcal{A}_i$  and  $\mathcal{B}_j$  is a union of  $n^{1-\delta}$  groups  $A_{i,s}$  and  $B_{j,s}$ , respectively, with  $s \in [n^{1-\delta}]$ . Each group  $A_{i,s}$  and  $B_{j,s}$ , for  $i, j \in [r]$ ,  $s \in [n^{1-\delta}]$ , is a copy of  $\mathcal{A}_i$  and, respectively,  $\mathcal{B}_j$ , from the original instance  $\mathcal{I}_0$ . For each edge  $(u, v)$  with  $u \in \mathcal{A}_i$  and  $v \in \mathcal{B}_j$  of  $\mathcal{I}_0$ , graph  $\mathcal{I}$  has edges between the copy of  $u$  in  $A_{i,k_1}$  and the copy of  $v$  in  $B_{j,k_2}$ , for all  $k_1, k_2 \in [n^{1-\delta}]$ . The solution value of  $\mathcal{I}$  remains  $OPT_0$  because the supergraph corresponding to  $\mathcal{I}_0$  and  $\mathcal{I}$  are identical.

**From specialized MIN-REP to  $k$ -TC-SPANNER.** From  $\mathcal{I}$ , we construct a graph  $\mathcal{G}$  of diameter  $k + 2$  as follows. We first attach a disjoint generalized butterfly of diameter  $k - 1$ , denoted  $BF(A_{i,s})$ , to each group  $A_{i,s}$  in  $\mathcal{I}$ , for all  $i \in [r]$ ,  $s \in [n^{1-\delta}]$ . That is, we identify vertices in  $A_{i,s}$  with the last strip of  $BF(A_{i,s})$  in the way discussed below. Denote by  $BF(\mathcal{A}_i) = \cup_s BF(A_{i,s})$  the set of all the vertices attached in this manner to the cluster  $\mathcal{A}_i$ . Let  $BF^j(A_{i,s})$  be the vertices in strip  $j$  of the butterfly  $BF(A_{i,s})$ , where  $BF^k(A_{i,s}) = A_{i,s}$ , and let  $BF^j(\mathcal{A}_i) = \cup_s BF^j(A_{i,s})$ . We call the vertices in the butterfly  $BF(A_{i,s})$  at distance  $x$  from  $A_{i,s}$  the  $x$ -th shadow of  $A_{i,s}$ . Call the in-degree as well as out-degree of the vertices in the butterflies  $d_* \stackrel{\text{def}}{=} \left( \frac{n^\delta}{r} \right)^{\frac{1}{k-1}}$ .

Next, for each  $\mathcal{B}_{i,s}$ , we attach a broom, denoted  $BR(B_{i,s})$ . More specifically, each vertex in  $B_{i,s}$  is connected to the vertices of a set  $BR^{k+2}(B_{i,s})$  of size  $d_*$ , and each vertex  $v \in BR^{k+2}(B_{i,s})$  is connected to a disjoint set of nodes, called broomsticks, of size  $d_*$ . Let  $BR^{k+3}(B_{i,s})$  be the set of broomsticks adjacent to  $BR^{k+2}(B_{i,s})$ . Let  $BR^{k+2}(\mathcal{B}_i) = \cup_s BR^{k+2}(B_{i,s})$  and  $BR^{k+3}(\mathcal{B}_i) = \cup_s BR^{k+3}(B_{i,s})$ . Identify layer  $V_j$  with  $\cup_{i,s} BF^j(A_{i,s})$  for  $j \in [k]$ , layer  $V_{k+1}$  with  $\cup_{i,s} B_{i,s}$ , and layer  $V_j$  with  $\cup_i BR^j(\mathcal{B}_i)$  for  $j \in \{k+2, k+3\}$ . Direct all the edges from  $V_i$  to  $V_{i+1}$ . See Figure 1.

**Attaching butterflies.** Recall that we identify vertices in  $A_{i,s}$  with the last strip  $BF^k(A_{i,s})$  of a disjoint butterfly,

for all  $i \in [r]$ ,  $s \in [n^{1-\delta}]$ . The mapping from  $A_{i,s}$  to  $BF^k(A_{i,s})$  is constructed in [10]. Here we explain the requirements we impose on the mapping. Recall that each group  $A_{i,s}$  has  $\leq \frac{n^\delta}{rm}$  non-isolated vertices. For our analysis, each vertex in  $BF^{k-1}(A_{i,s})$  must be adjacent to  $\leq \frac{d_*}{m}$  non-isolated vertices in  $A_{i,s}$ . The isolated vertices help us control the number of routes with shortcuts from the  $x$ -shadows to the  $(x-2)$ -shadows, for some  $x > 2$ , since connecting vertices in the 1-shadow to many isolated vertices decreases the number of comparable pairs in the first and last layers of  $\mathcal{G}$  connected by a path containing such a shortcut.

**A sparse TC-spanner  $\mathcal{H}$  for the  $k$ -TC SPANNER instance  $\mathcal{G}$ .** Let  $S_0$  be a smallest rep-cover of  $\mathcal{I}_0$  of size  $OPT$ . Recall that each  $\mathcal{A}_i$  and  $\mathcal{B}_j$  is replicated  $n^{1-\delta}$  times in  $\mathcal{I}$ . Let  $S$  be the set of all replicas in  $\mathcal{I}$  of vertices in  $S_0$ . Consider a  $k$ -TC-spanner  $\mathcal{H}$  of  $\mathcal{G}$  that contains shortcuts from the nodes in layer  $V_{k-2}$  to their descendants in  $S \cap V_k$ , and from the nodes in  $S \cap V_{k+1}$  to their descendants in  $V_{k+3}$ .

**LEMMA 3.1. (Rep-cover Spanner Lemma)**  $\mathcal{H}$  is a  $k$ -TC-spanner for  $\mathcal{G}$ , with  $|\mathcal{H}| = O(OPT n^{1-\delta} \left(\frac{n^\delta}{r}\right)^{\frac{2}{k-1}})$ .

**3.2 Path Analysis and Rerandomization** The next lemma shows that the  $k$ -TC-spanner  $\mathcal{H}$  defined above and analyzed in Lemma 3.1 is nearly optimal.

**LEMMA 3.2.** Any  $k$ -TC-spanner  $\mathcal{K}$  of  $\mathcal{G}$  has  $|\mathcal{K}| = \Omega\left(OPT n^{1-\delta} \left(\frac{n^\delta}{r}\right)^{\frac{2}{k-1}} / \log n\right)$ .

We introduce a bit of notation. A  $k$ -TC-spanner for  $\mathcal{G} = V_1 \cup V_2 \cup \dots \cup V_{k+3}$  is built by adding shortcut edges  $(u, v)$  between comparable  $u$  and  $v$ , where  $u \in V_i, v \in V_{i+\ell}$  and  $\ell \geq 2$ . For given  $\ell, i$ , we classify such a shortcut edge as *type  $\ell \& i$* . Since  $\mathcal{G}$  has diameter  $k+2$ , a  $k$ -TC-spanner for  $\mathcal{G}$  remains a  $k$ -TC-spanner when a type  $\ell \& i$  edge  $(u, v)$  with  $\ell \geq 4$  is replaced by a type  $3 \& i$  edge  $(u, v')$ , where  $v'$  is a predecessor of  $v$ . Therefore, it is enough to consider  $k$ -TC-spanners with shortcut edges only of types  $2 \& i$  for  $1 \leq i \leq k+1$  and  $3 \& i$  for  $1 \leq i \leq k$ . Say a path  $\pi$  from  $V_1$  to  $V_{k+3}$  is of *type  $(\ell \& i)$*  if it uses an edge of type  $\ell \& i$  (with  $\ell \in \{2, 3\}$ ), and  $\pi$  is of *type  $(2 \& i, 2 \& j)$*  if it uses edges of types  $2 \& i$  and  $2 \& j$ ,  $i < j$ . Notice that the  $k$ -TC-spanner constructed in Lemma 3.1 contains only edges of type  $2 \& (k-2)$  and  $2 \& (k+1)$ .

*Proof of Lemma 3.2:* Given a  $k$ -TC-spanner  $\mathcal{K}$  of  $\mathcal{G}$  with  $o\left(\frac{n^{1-\delta} d_*^2}{\log n}\right) OPT$  edges, we show that we can construct a MIN-REP cover for  $\mathcal{I}$  of size  $o(OPT)$ , which is a contradiction (recall that  $d_* = \left(\frac{n^\delta}{r}\right)^{\frac{1}{k-1}}$ ). We will accomplish this by a series of transformations which modify  $\mathcal{K}$  into a  $k$ -TC-spanner that uses only shortcut edges of the form  $2 \& (k-2)$  and  $2 \& (k+1)$ . The process increases the size of the  $k$ -TC-spanner only by a logarithmic factor. Finally, we show that

from the modified  $k$ -TC-spanner, one can extract a MIN-REP cover of size  $o(OPT)$  for  $\mathcal{I}$ , the desired contradiction.

We call a superedge  $(\mathcal{A}_i, \mathcal{B}_j)$ , where  $i, j \in [r]$ , *deletable with respect to  $\mathcal{K}$*  if at least  $1/4$  of the vertex pairs  $(u, v) \in BF^1(\mathcal{A}_i) \times BR^{k+3}(\mathcal{B}_j)$  have a path between them in  $\mathcal{K}$  of length at most  $k$  and of type other than  $(2 \& (k-2), 2 \& (k+1))$ . Our first step is to show that such cluster pairs can be essentially ignored.

**LEMMA 3.3. (Path Analysis Lemma)** *The number of deletable superedges with respect to  $\mathcal{K}$  is  $o(OPT)$ .*

*Proof sketch:* We call a path *canonical* if it contains shortcut edges of types both  $2 \& (k-2)$  and  $2 \& (k+1)$ ; otherwise, a path is *alternative*. Observe that every alternative path contains a shortcut edge from one of the following three categories: (1) edges that connect vertices in  $V_i$  and  $V_j$ , where  $i \leq k$  and  $j \geq k+1$ ; (2) edges of type  $3 \& i$  where  $i \leq k-3$ ; (3) edges of type  $2 \& i$  where  $i \leq k-3$ . Let  $S_B$  be the set of all shortcut edge types included in the three cases. We analyze the three cases separately and show that for each  $S \in S_B$ , the number of superedges  $(\mathcal{A}_i, \mathcal{B}_j)$ ,  $(i, j) \in [r]^2$ , such that at least a  $\frac{1}{4|S_B|}$  fraction of pairs  $(u, v) \in BF^1(\mathcal{A}_i) \times BR^{k+3}(\mathcal{B}_j)$  have an alternative path containing a shortcut of type  $S$ , is  $o(OPT)$ . Then by a union bound over  $S \in S_B$ , we prove the lemma. The analysis of case (1) relies on the fact that the degree of each non-isolated vertex of  $V_k$  is at least  $n^{1-\delta} \geq d_*$ . For case (2), we need the facts that the out-degree of each vertex in  $V_k$  is at most  $d_0 n^{1-\delta}$  and that  $n^\eta = o(d_*)$ . For case (3), we use the facts that every vertex  $v$  in  $V_{k-1}$  is connected to is at most  $\frac{d_*}{m}$  non-isolated vertices in  $V_k$ , and that  $n^\eta = o(n^{2\eta})$ .  $\square$

Next, form the graph  $\mathcal{G}'$  from  $\mathcal{G}$  by deleting all edges of  $\mathcal{G}$  connecting  $\mathcal{A}_i$  to  $\mathcal{B}_j$ , for all the deletable superedges  $(\mathcal{A}_i, \mathcal{B}_j)$  with respect to  $\mathcal{K}$ . Similarly, obtain a graph  $\mathcal{K}'$  from  $\mathcal{K}$  as follows: for all deletable superedges  $(\mathcal{A}_i, \mathcal{B}_j)$  with respect to  $\mathcal{K}$ , delete all edges of  $\mathcal{K}$  connecting  $\mathcal{A}_i$  to  $\mathcal{B}_j$ , and also delete all shortcuts in  $\mathcal{K}$  of types other than  $2 \& (k-2)$  and  $2 \& (k+1)$ . Note that for any cluster pair  $(\mathcal{A}_i, \mathcal{B}_j)$  of  $\mathcal{G}'$ , either there are no edges between vertices in  $\mathcal{A}_i$  and  $\mathcal{B}_j$  or at least  $\frac{3}{4}$  of the pairs in  $BF^1(\mathcal{A}_i) \times BR^{k+3}(\mathcal{B}_j)$  are connected by a canonical path. Also define a MIN-REP instance  $\mathcal{I}'$  from  $\mathcal{I}$  by deleting all edges in  $\mathcal{I}$  corresponding to all the deletable superedges with respect to  $\mathcal{K}$ .

For  $\mu \in [0, 1]$ , we say a subgraph of  $TC(\mathcal{G})$  is a  $\mu$ -good  $k$ -TC-spanner for  $\mathcal{G}$  if for every  $(i, j) \in [r]^2$  such that  $\mathcal{A}_i$  and  $\mathcal{B}_j$  are comparable in  $\mathcal{G}$ , at least a  $\mu$  fraction of pairs  $(u, v) \in BF^1(\mathcal{A}_i) \times BR^{k+3}(\mathcal{B}_j)$  are connected by canonical paths in the subgraph. E.g., the graph  $\mathcal{K}'$  is a  $\frac{3}{4}$ -good  $k$ -TC-spanner for  $\mathcal{G}$ .

**LEMMA 3.4. (Rerandomization Lemma)** *If a  $\frac{3}{4}$ -good  $k$ -TC-spanner  $\mathcal{K}'$  for  $\mathcal{G}$  is given, then there exists  $\mathcal{K}''$ , a 1-good  $k$ -TC-spanner for  $\mathcal{G}$ , such that  $|\mathcal{K}''| \leq O(|\mathcal{K}'| \cdot \log n)$ .*

*Proof sketch:* To construct  $\mathcal{K}''$  from  $\mathcal{K}'$ , we let  $\mathcal{K}''$  be the union of  $O(\log n)$  random transformations of the edges of  $\mathcal{K}'$ . Each transformation  $\Pi_r$  will keep the edges of  $\mathcal{G}'$  invariant but move the shortcut edges. Thus, when we let  $\mathcal{K}'' = \cup_{r=1}^{O(\log n)} \Pi_r(\mathcal{K}')$ , the edges of  $\mathcal{K}''$  are still a subset of the edges in  $TC(\mathcal{G}')$ . The goal of the random transformations is to ensure that in  $\Pi_r(\mathcal{K}')$ , with a constant probability, each vertex in  $BF^1(\mathcal{A}_i)$  can reach a vertex in  $V_{k-2}$  incident to a shortcut edge, and each vertex in  $BR^{k+3}(\mathcal{B}_j)$  is incident to a shortcut edge from  $V_{k+1}$ . We achieve this by randomly permuting the groups inside the clusters  $\mathcal{A}_i$  and  $\mathcal{B}_j$  and by randomly permuting the edges of the butterfly and broom graphs attached to  $\mathcal{A}_i$  and  $\mathcal{B}_j$ . After these random transformations, any two vertices  $u$  and  $v$  in  $BF^1(\mathcal{A}_i)$  and  $BR^{k+3}(\mathcal{B}_j)$  are connected by a canonical path with probability at least  $\frac{1}{16}$ . Hence,  $\mathcal{K}''$  has such a path between them with probability  $1 - \frac{1}{\text{poly}(n)}$ . The union bound over all possible  $(u, v)$  and  $(i, j)$  shows that the desired  $\mathcal{K}''$  with the claimed size exists.  $\square$

Now that the  $k$ -TC-spanner is 1-good, it is easier to reason about rep-covers of the underlying MIN-REP instance. Recall that  $\mathcal{G}'$  has  $n^{1-\delta}$  copies of MIN-REP instance  $\mathcal{I}'$  embedded in it. Moreover, many pairs of vertices in layers  $V_1$  and  $V_{k+3}$  rely on each instance to connect. We partition the shortcut edges of  $\mathcal{K}''$  into  $n^{1-\delta} d_*^2$  parts, according to which groups of vertex pairs in  $V_1 \times V_{k+3}$  they can help to connect. By averaging, one of the parts has  $o(OPT)$  shortcut edges, and can be used to extract a rep-cover of  $\mathcal{I}'$  of size  $o(OPT)$ . By including two vertices for each of the  $o(OPT)$  deleted superedges, we obtain a rep-cover for  $\mathcal{I}$  of size  $o(OPT)$ . This is a contradiction, completing the proof Lemma 3.2.

**LEMMA 3.5. (Rep-cover Extraction Lemma)** *Given  $\mathcal{K}''$ , a 1-good  $k$ -TC-spanner for  $\mathcal{G}'$ , of size  $o(OPT \cdot n^{1-\delta} \cdot d_*^2)$ , there exists a MIN-REP cover of  $\mathcal{I}$  of size  $o(OPT)$ .*  $\square$

**Hardness of 2-TC-SPANNER.** Our result on  $\Omega(\log n)$ -inapproximability of 2-TC-SPANNER, described in [10], is based on a reduction from SET-COVER instead of MIN-REP. Our hard instance is a generalized butterfly of diameter 2 attached to an instance of transformed SET-COVER. We identify strip 3 of the butterfly with the sets in the instance, and using ideas similar to our proof for  $k > 2$  for ruling out alternative routes, show that up to a constant factor, the optimal 2-TC-spanner contains only shortcuts from strip 1 to a minimum set-cover in strip 3.

#### 4 Overview of Structural Results

In [26], the authors implicitly give 2-TC-spanners for planar digraphs of size  $O(n^{3/2} \log n)$  using Lipton-Tarjan separators [34]. For planar digraphs, our first idea is to instead use Thorup's planar separators [45] in conjunction with Alon and Schieber's  $k$ -TC-spanners for the directed line [5]

to recursively construct  $k$ -TC-spanners of size  $O(n \log^2 n)$ . More generally, for  $H$ -minor-free graphs, employing an idea from [45], we use an arbitrary rooted spanning tree  $T$  of the digraph  $G$  to partition  $G$  into edge-disjoint digraphs so that for every part  $G_i$ , any undirected path from the root of  $T$  to a leaf is the union of at most two dipaths when restricted to  $G_i$ . Next, instead of Thorup's planar separators, we use *path separators* of Abraham and Gavoille [1] for undirected  $H$ -minor-free graphs.

However, the Abraham-Gavoille separators are not flexible enough to be applied directly. That is, these separators consist of a sequence of unions of minimum cost paths, where the cost function on the edges is arbitrary but specified in advance. We, however, need to adaptively change the cost function during the construction of the separator. Indeed, in the outermost level of recursion we need the path separator to lie on  $T$ , as otherwise the path separator may be the union of  $\Omega(n)$  dipaths in the underlying digraph, preventing us from recursing efficiently. Thus, we specify the cost of an edge in  $T$  to be 1, while outside of  $T$  it is  $\infty$ . However, when we partition  $G$  into subgraphs in the recursion, it may be that two vertices in the same subgraph no longer have a path contained in  $T$ . Since the cost function is fixed and the cost of any path between these two vertices is now  $\infty$ , a path separator in the recursive step need not be contained in  $T$ , and so it may not be the union of a small number of dipaths. Thus, we again cannot efficiently recurse. If, however, we could change the cost function in the recursive step, we could define a new rooted tree in each subgraph and base our cost function on that. We observe that the proof of the Abraham-Gavoille separators can be used to show that their path separators satisfy this stronger property.

**THEOREM 4.1.** *If  $G$  is an  $H$ -minor-free graph, then it has a 2-TC-spanner of size  $O(n \log^2 n)$  and, more generally, a  $k$ -TC-spanner of size  $O(n \cdot \log n \cdot \lambda_k(n))$  where  $\lambda_k(\cdot)$  is the  $k^{\text{th}}$ -row inverse Ackermann function.*

**Acknowledgments.** We would like to thank M. Elkin, V. Feldman, C. Gavoille, P. Indyk, T.S. Jayram, E. Hazan, R. Rubinfeld, and A. Smith for helpful discussions.

#### References

- [1] I. Abraham and C. Gavoille. Object location using path separators. In *PODC*, pages 188–197, 2006.
- [2] W. Ackermann. Zum Hilbertschen aufbau der reellen zahlen. *Math. Ann.*, 99:118–133, 1928.
- [3] A. V. Aho, M. R. Garey, and J. D. Ullman. The transitive reduction of a directed graph. *SIAM J. Comput.*, 1(2):131–137, 1972.
- [4] N. Ailon and B. Chazelle. Information theory in property testing and monotonicity testing in higher dimension. *Inf. Comput.*, 204(11):1704–1717, 2006.

- [5] N. Alon and B. Schieber. Optimal preprocessing for answering on-line product queries. Technical Report 71/87, Tel-Aviv University, 1987.
- [6] I. Althöfer, G. Das, D. Dobkin, D. Joseph, and J. Soares. On sparse spanners of weighted graphs. *Discrete & Computational Geometry*, 9(1):81–100, 1993.
- [7] M. J. Atallah, M. Blanton, and K. B. Frikken. Key management for non-tree access hierarchies. In *SACMAT*, pages 11–18, 2006.
- [8] M. J. Atallah, K. B. Frikken, and M. Blanton. Dynamic and efficient key management for access hierarchies. In *ACM Conference on Computer and Communications Security*, pages 190–202, 2005.
- [9] S. Baswana and S. Sen. Approximate distance oracles for unweighted graphs in expected  $\tilde{O}(n^2)$  time. *ACM Transactions on Algorithms*, 2(4):557–577, 2006.
- [10] A. Bhattacharyya, E. Grigorescu, K. Jung, S. Raskhodnikova, and D. P. Woodruff. Transitive-closure spanners. <http://arxiv.org/abs/0808.1787>, 2008.
- [11] B. Chazelle. Computing on a free tree via complexity-preserving mappings. *Algorithmica*, 2:337–361, 1987.
- [12] C. Chekuri, G. Even, A. Gupta, and D. Segev. Set connectivity problems in undirected graphs and the directed steiner network problem. In *SODA*, 2008.
- [13] E. Cohen. Fast algorithms for constructing  $t$ -spanners and paths with stretch  $t$ . *SIAM J. Comput.*, 28(1):210–236, 1998.
- [14] E. Cohen. Polylog-time and near-linear work approximation scheme for undirected shortest paths. *JACM*, 47(1):132–166, 2000.
- [15] L. Cowen. Compact routing with minimum stretch. *J. Algorithms*, 38(1):170–183, 2001.
- [16] L. Cowen and C. G. Wagner. Compact roundtrip routing in directed networks. *J. Algorithms*, 50(1):79–95, 2004.
- [17] Y. Dodis, O. Goldreich, E. Lehman, S. Raskhodnikova, D. Ron, and A. Samorodnitsky. Improved testing algorithms for monotonicity. In *RANDOM*, pages 97–108, 1999.
- [18] Y. Dodis and S. Khanna. Designing networks with bounded pairwise distance. In *STOC*, pages 750–759, 1999.
- [19] M. Elkin. Computing almost shortest paths. In *PODC*, pages 53–62, 2001.
- [20] M. Elkin and D. Peleg. Strong inapproximability of the basic  $k$ -spanner problem. In *ICALP*, pages 636–647, 2000.
- [21] M. Elkin and D. Peleg. The client-server 2-spanner problem with applications to network design. In *SIROCCO*, pages 117–132, 2001.
- [22] M. Elkin and D. Peleg. Approximating  $k$ -spanner problems for  $k \geq 2$ . *Theor. Comput. Sci.*, 337(1-3):249–277, 2005.
- [23] M. Elkin and D. Peleg. The hardness of approximating spanner problems. *Theory Comput. Syst.*, 41(4):691–729, 2007.
- [24] F. Ergun, S. Kannan, S. R. Kumar, R. Rubinfeld, and M. Viswanathan. Spot-checkers. *JCSS*, 60(3):717–751, 2000.
- [25] E. Fischer. On the strength of comparisons in property testing. *Inf. Comput.*, 189(1):107–116, 2004.
- [26] E. Fischer, E. Lehman, I. Newman, S. Raskhodnikova, R. Rubinfeld, and A. Samorodnitsky. Monotonicity testing over general poset domains. In *STOC*, pages 474–483, 2002.
- [27] O. Goldreich, S. Goldwasser, E. Lehman, D. Ron, and A. Samorodnitsky. Testing monotonicity. *Combinatorica*, 20(3):301–337, 2000.
- [28] O. Goldreich, S. Goldwasser, and D. Ron. Property testing and its connection to learning and approximation. *JACM*, 45(4):653–750, 1998.
- [29] S. Halevy and E. Kushilevitz. Testing monotonicity over graph products. In *ICALP*, pages 721–732, 2004.
- [30] W. Hesse. Directed graphs requiring large numbers of shortcuts. In *SODA*, pages 665–669, 2003.
- [31] D. Hochbaum, editor. *Approximation Algorithms for NP-hard Problems*. PWS Publishing Company, Boston, 1997.
- [32] G. Kortsarz. On the hardness of approximating spanners. *Algorithmica*, 30(3):432–450, 2001.
- [33] G. Kortsarz and D. Peleg. Generating sparse 2-spanners. *J. Algorithms*, 17:222–236, 1994.
- [34] R. J. Lipton and R. E. Tarjan. A separator theorem for planar graphs. *SIAM Journal on Applied Mathematics*, 36(2):177–189, 1979.
- [35] D. Peleg. *Distributed computing: a locality-sensitive approach*. Society for Industrial and Applied Mathematics, Philadelphia, PA, USA, 2000.
- [36] D. Peleg and A. A. Schäffer. Graph spanners. *Journal of Graph Theory*, 13(1):99–116, 1989.
- [37] D. Peleg and J. D. Ullman. An optimal synchronizer for the hypercube. *SIAM J. Comput.*, 18(4):740–747, 1989.
- [38] D. Peleg and E. Upfal. A trade-off between space and efficiency for routing tables. *JACM*, 36(3):510–530, 1989.
- [39] L. Roditty, M. Thorup, and U. Zwick. Roundtrip spanners and roundtrip routing in directed graphs. In *SODA*, pages 844–851, 2002.
- [40] R. Rubinfeld and M. Sudan. Robust characterization of polynomials with applications to program testing. *SIAM Journal on Computing*, 25(2):252–271, 1996.
- [41] A. D. Santis, A. L. Ferrara, and B. Masucci. Efficient provably-secure hierarchical key assignment schemes. In *MFCS*, pages 371–382, 2007.
- [42] M. Thorup. On shortcutting digraphs. In *WG*, pages 205–211, 1992.
- [43] M. Thorup. Shortcutting planar digraphs. *Combinatorics, Probability & Computing*, 4:287–315, 1995.
- [44] M. Thorup. Parallel shortcutting of rooted trees. *J. Algorithms*, 23(1):139–159, 1997.
- [45] M. Thorup. Compact oracles for reachability and approximate distances in planar digraphs. *JACM*, 51:993–1024, 2004.
- [46] M. Thorup and U. Zwick. Compact routing schemes. In *ACM Symposium on Parallel Algorithms and Architectures*, pages 1–10, 2001.
- [47] M. Thorup and U. Zwick. Approximate distance oracles. *JACM*, 52(1):1–24, 2005.
- [48] D. P. Woodruff. Lower bounds for additive spanners, emulators, and more. In *FOCS*, pages 389–398, 2006.
- [49] A. C.-C. Yao. Space-time tradeoff for answering range queries (extended abstract). In *STOC*, pages 128–136, 1982.
- [50] U. Zwick. Exact and approximate distances in graphs — A survey. *Lecture Notes in Computer Science*, 2161:33+, 2001.